PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 5: (11) International Publication Number: WO 95/00620 C11D 3/00, 1/825, 1/94 A1 (43) International Publication Date: 5 January 1995 (05.01.95) (21) International Application Number: PCT/US94/06802 (81) Designated States: AU, BB, BG, BR, BY, CA, CN, CZ, FL HU, JP, KP, KR, KZ, LK, LV, MG, MN, MW, NO, NZ, (22) International Filing Date: 15 June 1994 (15.06.94)

US

(71) Applicant: POLYMER TECHNOLOGY CORPORATION [US/US]; 100 Research Drive, Wilmington, MA 01887

18 June 1993 (18.06.93)

(72) Inventors: ZHANG, Hong, J.; B2 Colonial Drive #3, Andover, MA 01810 (US). ELLA, Edward, J.; 9 Hampton Court, Lynnfield, MA 01940 (US). WROBEL, Stanley, J.; 8 Eastman Road, Andover, MA 01810 (US). POTINI, Chimpiramma; 29 Copley Drive, Methuen, MA 01844 (US).

(74) Agents: THOMAS, John, E. et al.; Bausch & Lomb Incorporated, One Chase Square, P.O. Box 54, Rochester, NY 14601-0054 (US).

PL, RO, RU, SD, SK, UA, UZ, VN, European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, Cl, CM, GA, GN, MIL, MIR, NE, SN, TD, TG).

Published

With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.

(54) Title: COMPOSITION FOR CLEANING AND WEITING CONTACT LENSES

(57) Abstract

(30) Priority Data:

(US).

08/080,425

A composition for cleaning and wetting contact lenses comprises a polyethyleneoxide-containing material having a hydrophile-lipophile balance (HLB) of at least about 18, a surface active agent having cleaning activity for contact lens deposits, and a wetting agent.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

· AT	Austria	GB	United Kingdom	MIR	Mauritania
AU	Australia	GE	Georgia	MW	Malawi
BB	Barbados	GN	Guinea	NB	Niger
BE	Belgium	GR	Greece	NL	Netherlands
BF	Burkina Paso	HU	Hungary	NO	Norway
BG	Bulgaria	EB	Ireland	NZ	New Zealand
BJ	Benin	п	Italy	PL	Poland
BR	Brazil	JP	Japan	PT	Portugal
BY	Betarus	KE	Kenya	RO	Romania
CA	Cazada	KG	Kyrgystan	RU	Russian Federation
CT	Central African Republic	KP	Democratic People's Republic	SD	Sudan
CG	Congo		of Korea	SE	Sweden
CH	Switzerland	KR	Republic of Korea	SI	Slovenia
CI	Côte d'Ivoire	KZ.	Kazakhstan	SK	Slovakia
CM	Carneroon	Ц	Liechtenstein	SN	Senegal
CN	China	LK	Sri Lanka	TD	Chad
CS	Czechodovakia	ᅜ	Luxembourg	TG	Togo
CZ	Czech Republic	LV	Latvia	ŢĴ	Tajikistan
DE	Germany	MC	Monaco	TT	Trinkled and Tobero
DK	Denmark	MD	Republic of Moldova	ÛÂ	Ukraine
ES	Spain	MG	Madagascar	US	United States of America
FI	Pinland	MIL	Mall	UZ.	Uzbekistan
FR	France	MN	Mongolia	VN	Vict Nam
GA	Gabon			414	A 100 1.00TH

PCT/US94/06802

-1-

COMPOSITION FOR CLEANING AND WETTING CONTACT LENSES

BACKGROUND OF THE INVENTION

This invention relates to a composition for cleaning and wetting contact lenses which comprises a polyethyleneoxide-containing material having a hydrophile-lipophile balance (HLB) of at least about 18, a surface active agent having cleaning activity for contact lens deposits, and a wetting agent.

A care regimen for contact lenses involves various functions, such as regularly cleaning the lens with a contact lens solution containing a surface active agent as a primary cleaning agent. Rinsing of the contact lens is generally required following cleaning to remove loosened debris. Additionally, the regimen may include treatment to disinfect the lens, treatment to render the lens surface more wettable prior to insertion in the eye, or treatment to condition (e.g, lubricate or cushion) the lens surface so that the lens is more comfortable in the eye. As a further example, a contact lens wearer may need to rewet the lens during wear by administering directly in the eye a solution commonly referred to as rewetting drops.

Separate solutions may be provided for the individual segments of the care regimen. For convenience purposes, multipurpose contact lens

PCT/US94/06802

-2-

solutions have gained popularity, i.e., solutions which can be used for several segments of the care regimen.

As an example, multipurpose contact lens solutions which can be used for cleaning, storage and conditioning of contact lenses have been suggested.

U.S. Patent No. 5,141,665 (Sherman) discloses a cleaning, conditioning, storing and wetting system for rigid gas permeable contact lenses. The system is described as including: (1) a cleaning, conditioning and storing solution; and (2) a separate wetting solution, wherein both solutions include a disinfectant or preservative. Lenses treated with the first solution are rinsed and then wet with the separate wetting solution prior to insertion in the eye.

Multipurpose contact lens solutions which effectively clean a contact lens, and can also be used to treat the lens immediately prior to insertion of the lens in the eye, represent the more difficult multipurpose solutions to develop. Conventional surface active agents having good cleaning activity for contact lens deposits, as well as various other components such as antimicrobial agents included as a preservative or disinfectant, tend to be irritating to the eye. Additionally, the surface active agents must not inhibit the wetting or conditioning function of the solution.

Multipurpose contact lens solutions for cleaning and wetting contact lenses have also been suggested which employ as the primary cleaning agent a surface active agent having minimal or no irritation. As an example, U.S. Patent Nos. 3,882,036 and 3,954,644 (Krezanoski et al.) suggest compositions comprising a polyethyleneoxy-polypropyleneoxy block copolymer (also known as poloxamer) having minimal or no eye irritation as the primary cleaning agent.

U.S. Patent No. 4,820,352 (Riedhammer et al.) suggests compositions for cleaning and conditioning contact lenses which are sufficiently nonirritating that a contact lens treated with the solution can be inserted directly in the eye. Preferred compositions employ as the primary cleaning agent a specific class of polyethyleneoxy-polypropyleneoxy block copolymer adducts of ethylene diamine (also known as poloxamine), which agents are both effective at cleaning and exhibit minimal or no eye irritation.

Although the specific class of poloxamine surface active agents described in the Riedhammer patent provide good cleaning action for contact lens deposits and exhibit minimal eye irritation, other surface active agents exhibiting acceptable eye irritation levels generally have a relatively low cleaning ability for contact lens deposits. Accordingly, this latter

PCT/US94/06802

-4-

approach to minimize eye irritation frequently results in a sacrifice of good cleaning activity.

SUMMARY OF THE INVENTION

This invention provides an aqueous composition for cleaning and wetting contact lenses which comprises:

- (a) a non-amine polyethyleneoxy-containing material having an HLB value of at least about 18;
- (b) a surface active agent having cleaning activity for contact lens deposits; and
 - (c) a wetting agent.

The compositions provide effective cleaning activity, and are also effective at wetting surfaces of the lens. Additionally, the compositions achieve the desired cleaning but are relatively nonirritating to the eye. According to preferred embodiments, the compositions are sufficiently nonirritating that contact lenses treated with the composition can be inserted directly in the eye, i.e., without the need to rinse the composition from the lens, or the composition can be administered directly in the eye for use as a rewetting solution.

PCT/US94/06802

-5-

DETAILED DESCRIPTION OF THE INVENTION

The composition of the invention is an aqueous composition which comprises:

- (a) a non-amine polyethyleneoxy-containing material having an HLB value of at least about 18;
- (b) a surface active agent having cleaning activity for contact lens deposits; and
 - (c) a wetting agent.

The first component is a non-amine polyethyleneoxy-containing material having a hydrophile-lipophile balance (HLB) of at least about 18. Generally, the materials of this class are not particularly effective cleaners for contact lens deposits when employed as the primary cleaning agent. However, Applicants have found that when these materials are employed in conjunction with a surface active agent having good cleaning activity, the high-HLB materials alleviate the potential of eye irritation of the compositions attributed to components such as the surface active agent and other components. Accordingly, surface active agents which would otherwise be irritating to the eye can be employed in the compositions.

In addition to high-HLB homopolymers of polyethylene glycol or polyethyleneoxy, representative PEO-containing materials having an HLB value of at

PCT/US94/06802

-6-

least 18 include certain polyethyleneoxypolypropyleneoxy block copolymers, also known as
poloxamers. Such materials are commercially available
under the tradename Pluronic from BASF Corporation,
Parsippany, New Jersey, USA, and include Pluronic F108
and F127. Other suitable PEO-containing materials
include ethoxylated glucose derivatives, such as methyl
gluceth-20 including the product available as Glucam E20 (Amerchol Corp., Edison, New Jersey, USA), and high
HLB ethoxylated nonionic ethers of sorbitol or
glycerol, such as products available under the
tradename Ethosperse, including sorbeth-20 supplied as
Ethosperse SL-20 and glycereth-26 supplied as
Ethosperse G-26 (Lonza Inc., Fair Lawn, New Jersey,
USA).

Representative PEO-containing materials are listed in Table A with HLB value and molecular weight. For comparative purposes, two PEO-containing materials which do not have an HLB value of at least about 18 (polysorbate 20 (Tween 20), and the poloxamer Pluronic P104) are included. The HLB values and molecular weight were provided by manufacturers, or calculated or estimated based on chemical structure.

PCT/US94/06802

-7-

TABLE A

Material	HLB Value	Aver MW
Pluronic P104	12-18	5,900
Tween 20	16.7	1,260
Ethosperse G-26	18	1,224
Glucam E-20	>18	1,074
Pluronic F127	18-23	12,600
Pluronic F108	>24	14,600
Polyethylene glycol	>24	18,500
•	•	

The PEO-containing materials may be employed in the compositions at about 0.001 to about 10 weight percent, preferably at about 0.001 to about 5 weight percent.

The composition further includes a surface active agent having cleaning activity for contact lens deposits. A wide variety of surface active agents are known in the art as a primary cleaning agent, including anionic, cationic, nonionic and amphoteric surface active agents.

Representative anionic surface active agents include sulfated and sulfonated surface active agents, and physiologically acceptable salts thereof, which provide good cleaning activity for lipids, proteins, and other contact lens deposits. Examples include sodium lauryl sulfate, sodium laureth sulfate (sodium

PCT/US94/06802

-8-

salt of sulfated ethoxylated lauryl alcohol), ammonium laureth sulfate (ammonium salt of sulfated ethoxylated lauryl alcohol), sodium trideceth sulfate (sodium salt of sulfated ethoxylated tridecyl alcohol), sodium dodecylbenzene sulfonate, disodium lauryl or laureth sulfosuccinate (disodium salt of a lauryl or ethoxylated lauryl alcohol half ester of sulfosuccinic acid), disodium oleamido sulfosuccinates, and dioctyl sodium sulfosuccinate (sodium salt of the diester of a 2-ethylhexyl alcohol and sulfosuccinic acid).

Nonionic surface active agents having good cleaning activity include certain polyoxyethylene, polyoxypropylene block copolymer (poloxamer) surface active agents, including various surface active agents available under the tradename Pluronic from BASF Corp., e.g., Pluronic P104 or L64. (In contrast with the high-HLB PEO-containing materials, the poloxamers which may be employed as a primary cleaning agent in the compositions of this invention have an HLB value less than 18, generally about 12 to about 18.) Other representative nonionic surface active agents include: ethoxylated alkyl phenols, such as various surface active agents available under the tradenames Triton (Union Carbide, Tarrytown, New York, USA) and Igepal (Rhone-Poulenc, Cranbury, New Jersey, USA); polysorbates such as polysorbate 20, including the polysorbate surface active agents available under the

-9-

tradename Tween (ICI Americas, Inc., Wilmington, Delaware, USA.); and alkyl glucosides and polyglucosides such as products available under the tradename Plantaren (Henkel Corp., Hoboken, New Jersey, USA).

The compositions may include a cationic surface active agent. Representative cationic surface active agents include triquaternary phosphate esters, such as various cationic surface active agents available from Mona Industries, Inc., Patterson, New Jersey, USA under the tradename Monaquat.

Additionally, the compositions may include an amphoteric surface active agent. Amphoteric surface active agents include fatty acid amide betaines, such as the cocoamidoalkyl betaines available under the tradename Tego-Betain (Goldschmidt Chemical Corp., Hopewell, Virginia, USA). Other amphoterics include imidazoline derivatives such as cocoamphopropionates available under the tradename Miranol (Rhone-Poulenc), and N-alkylamino acids such as lauramino propionic acid available under the tradename Mirataine (Rhone-Poulenc).

Surface active agents having cleaning activity for contact lens deposits include silicone polymers having a pendant side chain containing an ionizable group.

Dimethylpolysiloxanes containing a pendant side chain having a sulfonate or sulfosuccinate radical are

PCT/US94/06802

-10-

available under the tradenames Silube WS-100 and Silube SS-154-100 (Siltech, Inc., Norcross, Georgia, USA). Dimethylpolysiloxanes containing a pendant side chain having a phosphobetaine radical are available under the tradename Silicone Phosphobetaine (Siltech, Inc.), dimethylpolysiloxanes containing a pendant side chain having an amphoteric radical are available under the tradename Siltech Amphoteric (Siltech, Inc.), and dimethylpolysiloxanes substituted with propyleneglycol betaine are available under the tradename Abil B 9950 from Goldschmidt Chemical Corp., Hopewell, Virginia, USA. Such silicone polymers are especially compatible in the compositions of this invention, and exhibit less irritation than many conventional cleaning agents such as the above-described anionic surface active agents.

The surface active agents having cleaning activity for contact lens deposits may be employed at about 0.001 to about 5 weight percent of the composition, preferably at about 0.005 to about 2 weight percent, with about 0.01 to about 0.1 weight percent being especially preferred.

According to preferred embodiments, the composition further includes a wetting agent. Although in some cases the high-HLB PEO-containing component may contribute to the wetting ability of the composition, the inclusion of a supplemental wetting agent ensures

PCT/US94/06802

-11-

that the composition effectively wets contact lenses treated therewith.

Representative wetting agents include: cellulosic materials such as cationic cellulosic polymers, hydroxypropyl methylcellulose, hydroxyethyl cellulose and methylcellulose; polyvinyl alcohol; and polyvinyl pyrrolidone.

Preferred wetting agents are the cationic cellulosic materials that have the ability to associate with anionic areas on a lens surface, such as rigid gas permeable (RGP) lenses, which facilitates the material wetting and cushioning the lens surface. preferred wetting agents include silicone polymers having a pendant alkyleneoxide side chain, particularly products available under the tradename Dow Corning® 193 (Dow Corning, Midland, Michigan, USA). For these materials, the hydrophobic silicone portion of the silicone polymers may loosely associate with the lens surface, such that the pendant alkyleneoxy side chain extends from the lens surface to enhance wettability to the lens surface. Additionally, this effect appears to provide further alleviation of irritation potential of components such as the surface active cleaning agent.

These wetting agents may be used in a wide range of concentrations, generally about 0.1 to about 10 weight percent.

PCT/US94/06802

-12-

The cleaning compositions include as necessary buffering agents for buffering or adjusting pH of the composition, and/or tonicity adjusting agents for adjusting the tonicity of the composition. Representative buffering agents include: alkali metal salts such as potassium or sodium carbonates, acetates, borates, phosphates, citrates and hydroxides; and weak acids such as acetic, boric and phosphoric acids. Representative tonicity adjusting agents include: sodium and potassium chloride, and those materials listed as buffering agents. The tonicity agents may be employed in an amount effective to adjust the osmotic value of the final composition to a desired value. Generally, the buffering agents and/or tonicity adjusting agents may be included up to about 10 weight percent.

According to preferred embodiments, an antimicrobial agent is included in the composition in an antimicrobially effective amount, i.e., an amount which is effective to at least inhibit growth of microorganisms in the composition. Preferably, the composition can be used to disinfect a contact lens treated therewith. Various antimicrobial agents are known in the art as useful in contact lens solutions, including: chlorhexidine (1,1'-hexamethylene-bis[5-(p-chlorophenyl) biguanide]) or water soluble salts thereof, such as chlorhexidine gluconate;

PCT/US94/06802

-13-

polyhexamethylene biguanide (a polymer of hexamethylene biguanide, also referred to as polyaminopropyl biguanide) or water-soluble salts thereof, such as the polyhexamethylene biguanide hydrochloride available under the trade name Cosmocil CQ (ICI Americas Inc.); benzalkonium chloride; and polymeric quaternary ammonium salts. When present, the antimicrobial agent may be included at 0.00001 to about 5 weight percent, depending on the specific agent.

The compositions may further include a sequestering agent (or chelating agent) which can be present up to about 2.0 weight percent. Examples of preferred sequestering agents include ethylenediaminetetraacetic acid (EDTA) and its salts, with the disodium salt (disodium edetate) being especially preferred.

The compositions are useful for hard and soft contact lenses. Hard lenses include polymethylmethacrylate lenses and rigid gas permeable (RGP) lenses formed of a silicon or a fluorosilicon polymer. Soft contact lenses include hydrophilic hydrogel lenses.

A contact lens is cleaned by exposing the lens to the cleaning composition, preferably by immersing the lens in the composition, followed by agitation, such as by rubbing the composition on the lens surface. The lens is then rinsed to remove the composition along

PCT/US94/06802

-14-

with contaminants. The composition may also be used to rinse the lenses, or alternately, a separate solution can be used.

When the composition is used to rinse the lens, the composition will usually adequately wet the lens surface. Due to the low irritation potential of the composition, the lens can then be inserted directly in the eye. Alternately, the cleaned lens can be subsequently treated with the composition, such as soaking the lens in the composition for sufficient time to ensure adequate wetting of the lens surface. When treating lenses with the composition including an antimicrobial agent, it is preferred to soak the lenses for sufficient time to disinfect the lenses, in which case the composition is used for cleaning, disinfecting and wetting the lens. The treated lens can then be inserted directly in the eye.

The compositions can be prepared by adding the individual components to water. A representative method follows. The salts and wetting agents, such as sodium chloride, potassium chloride, disodium edetate, cellulosic components, and/or polyvinyl alcohol (PVA), are added to premeasured, heated water with mixing. This first composition is allowed to cool, filtered, and sterilized. The sodium phosphate, potassium phosphate, PEO-containing material, the silicone polymer, the surface active agents and/or glycerin are

PCT/US94/06802

-15-

added to premeasured water with mixing and then sterilized and filtered. The antimicrobial agents are added to the remaining amount of premeasured water, and the three compositions are combined with mixing.

The following examples illustrate various preferred embodiments.

EXAMPLES 1 TO 6

A series of solutions, represented in Tables 1A to 1D, was prepared. Amounts in the tables are parts by weight unless indicated otherwise. Examples 1 to 6 illustrate multipurpose solutions of the present invention. Three control compositions were prepared. Ctrl-1A included no surface active cleaning agent having eye irritation potential; each of Ctrl-1B and 1C similarly lacked any such cleaning agent but included a non-amine PEO-containing material having an HLB of at least about 18 (poloxamer 338, supplied as Pluronic F108, BASF). The comparative compositions included a surface active agent having cleaning activity: sodium trideceth sulfate (Sipex EST-30, Rhone-Poulenc) or a cocoamphopropionate (Miranol C2M, Rhone-Poulenc); the comparative compositions included no high-HLB PEOcontaining material.

The irritation potential of the compositions was evaluated by the following procedure. A few drops of each composition was administered on the superior

PCT/US94/06802

-16-

limbus of a subject's eye. The subject was asked to indicate occurrence of symptoms of irritation (stinging, itching or burning). These results are reported under "Symptom", wherein "P" indicates positive (subject reported irritation) and "N" indicates negative (subject did not report irritation). Additionally, the corneas of subjects were evaluated both prior to and following administration of the composition to assess corneal staining. These results are reported under "Staining", wherein "P" indicates positive (corneal staining observed) and "N" indicates negative (no corneal staining observed).

The data demonstrate that the high-HLB PEOcontaining material was useful in reducing the irritation potential of the compositions.

PCT/US94/06802

-17-

TABLE 1A

Component	Cntl-1A	Cntl-1B	Cntl-1C
cationic cellulosic polymer (Polymer JR 30M. Union Carbide Corp.)	0.05	0.05	0.05
hydroxypropyl methylcellulose	0.2	0.2	0.2
sodium phosphate	0.28	0.28	0.28
potassium phosphate	0.055	0.055	0.055
sodium chloride	0.78	0.78	0.78
potassium chloride	0.17	0.17	0.17
disodium edetate	0.05	0.05	0.05
polyhexamethylene biguanide (ppm)	10	10	10
Pluronic F108	0	1	3
deionized water (q.s. to)	100	100	100
Symptom	N	N	N
Staining	Ň	N	N

PCT/US94/06802

-18-

TABLE 1B

Component	Comp-1	Ex-1	Ex-2
cationic cellulosic polymer (Polymer JR 30M)	0.05	0.05	0.05
hydroxypropyl methylcellulose	0.2	0.2	0.2
sodium phosphate	0.28	0.28	0.28
potassium phosphate	0.055	0.055	0.055
sodium chloride	0.78	0.78	0.78
potassium chloride	0.17	0.17	0.17
disodium edetate	0.05	0.05	0.05
polyhexamethylene biguanide (ppm)	10	10	10
Pluronic F108	0 .	.1	3
Sipex EST-30	0.2	0.2	0.2
deionized water (q.s. to)	100	100	100
Symptom	P	P	N
Staining	N	N	N

PCT/US94/06802

-19-

TABLE 1C

Component	Comp-2	Ex-3	Ex-4
cationic cellulosic polymer (Polymer JR 30M)	0.05	0.05	0.05
hydroxypropyl methylcellulose	0.2	0.2	0.2
sodium phosphate	0.28	0.28	0.28
potassium phosphate	0.055	0.055	0.055
sodium chloride	0.78	0.78	0.78
potassium chloride	0.17	0.17	0.17
disodium edetate	0.05	0.05	0.05
polyhexamethylene biguanide (ppm)	10	10	10
Pluronic F108	0	1	3
Sipex EST-30	0.3	0.3	0.3
deionized water (q.s. to)	100	100	100
Symptom	P	P .	N .
Staining	P	N	N

PCT/US94/06802

-20-

TABLE 1D

Component	Comp-3	Ex-5	Ex-6
cationic cellulosic polymer (Polymer JR 30M)	0.05	0.05	0.05
hydroxypropyl methylcellulose	0.2	0.2	0.2
sodium phosphate	0.28	0.28	0.28
potassium phosphate	0.055	0.055	0.055
sodium chloride	0.78	0.78	0.78
potassium chloride	0.17	0.17	0.17
disodium edetate	0.05	0.05	0.05
polyhexamethylene biguanide (ppm)	10	10	10 .
Pluronic F108	0	· 1	3
Miranol C2M	0.3	0.3	0.3
deionized water (q.s. to)	100	100	100
Symptom	P	P	N
Staining	N	N	N

PCT/US94/06802

-21-

EXAMPLES 7 TO 14

A series of solutions, represented in Tables 2A to 3D, was prepared. Examples 7 to 14 illustrate multipurpose solutions of the present invention. The comparative compositions included a surface active cleaning having eye irritation potential, but no high-HLB PEO-containing material. It is noted that Comparative Examples 5, 7 and 9, and Comparative Example 10, included a PEO-containing material, polysorbate 20 (Tween 20, ICI Americas, Inc.) or poloxamer 334 (Pluronic P104, BASF), having a lower HLB value (see Table A).

The irritation potential of the compositions was evaluated as in the preceding examples. The data demonstrate that the non-amine PEO-containing materials having an HLB value of at least about 18 were useful in reducing the irritation potential of the compositions. In contrast, the PEO-containing material having a lower HLB value did not significantly reduce the irritation potential of the compositions.

PCT/US94/06802

-22-

TABLE 2A

Component	Cntl-2A	Cntl-2B	Cntl-2C	Cntl-2D
cationic cellulosic polymer (Polymer JR 30M)	0.05	0.05	0.05	0.05
hydroxypropyl methylcellulose	0.2	0.2	0.2	0.2
sodium phosphate	0.28	0.28	0.28	0.28
potassium phosphate	0.055	0.055	0.055	0.055
sodium chloride	0.78	0.78	0.78	0.78
potassium chloride	0.17	0.17	0.17	0.17
disodium edetate	0.05	0.05	0.05	0.05
polyhexamethylene biguanide (ppm)	10	10	10	10
Tween 20	0	1	0	0
Pluronic F127	0	0	1	0
Pluronic F108	0	0	0	1
deionized water (q.s. to)	100	100	100	100
Symptom	N	N	N	N
Staining	N	, N	N	N

PCT/US94/06802

-23-

TABLE 2B

Component	Comp-4	Comp-5	Ex-7	Ex-8
cationic cellulosic polymer (Polymer JR 30M)	0.05	0.05	0.05	0.05
hydroxypropyl methylcellulose	0.2	0.2	0.2	0.2
sodium phosphate	0.28	0.28	0.28	0.28
potassium phosphate	0.055	0.055	0.055	0.055
sodium chloride	0.78	0.78	0.78	0.78
potassium chloride	0.17	0.17	0.17	0.17
disodium edetate	0.05	0.05	0.05	0.05
polyhexamethylene biguanide (ppm)	10	10	10	10
Sipex EST-30	0.1	0.1	0.1	0.1
Standapol 124-3 (Henkel Corp.)	0.1	0.1	0.1	0.1
Tween 20	0	1	0	0
Pluronic F127	Ο .	0	1	0
Pluronic F108	0	0	0	1
deionized water (q.s. to)	100 .	100	100	100
Symptom	P	P	N	N
Staining	P	P	N	N

WO 95/00620 PCT/US94/06802

-24-

TABLE 2C

Component	Comp-6	Comp-7	Ex-9	Ex-10
cationic cellulosic polymer (Polymer JR 30M)	0.05	0.05	0.05	0.05
hydroxypropyl methylcellulose	0.2	0.2	0.2	0.2
sodium phosphate	0.28	0.28	0.28	0.28
potassium phosphate	0.055	0.055	0.055	0.055
sodium chloride	0.78	0.78	0.78	0.78
potassium chloride	0.17	0.17	0.17	0.17
disodium edetate	0.05	0.05	0.05	0.05
polyhexamethylene biguanide (ppm)	10	10	10	10
Sipex EST-30	0.1	0.1	0.1	0.1
Miranol C2M	0.1	0.1	0.1	0.1
Tween 20	0	1	0	0
Pluronic F127	0	0	1	0
Pluronic F108	0	0	0	1
deionized water (g.s. to)	100	100	100	100
Symptom	P	P	N	N
Staining	P	P	N	N

PCT/US94/06802

-25-

TABLE 3A

Component	Cntl-3A	Cntl-3B	Cntl-3C	Cntl-3D
silicone glycol copolymer (193, Dow Corning)	0.05	0.05	0.05	0.05
sodium phosphate	0.28	0.28	0.28	0.28
potassium phosphate	0.055	0.055	0.055	0.055
sodium chloride	0.78	0.78	0.78	0.78
potassium chloride	0.17	0.17	0.17	0.17
disodium edetate	0.05	0.05	0.05	0.05
polyhexamethylene biguanide (ppm)	10	10	10	· 10
Tween 20	0 .	1	0	0
Pluronic F127	0	0	1	0
Pluronic F108	0	0	0	1
deionized water (q.s. to)	100	100	100	100
Symptom	N	N	N	N
Staining	N	N	N	N

PCT/US94/06802

-26-

TABLE 3B

Component	Cntl-3E	Cntl-3F	Cntl-3G
silicone glycol copolymer (193, Dow Corning)	0.05	0.05	0.05
sodium phosphate	0.28	0.28	0.28
potassium phosphate	0.055	0.055	0.055
sodium chloride	0.78	0.78	0.78
potassium chloride	0.17	0.17	0.17
disodium edetate	0.05	0.05	0.05
polyhexamethylene biguanide (ppm)	10	10	10
Pluronic P104	1	0 .	0
Ethosperse G-26	0 .	· 1	0
PEG (MW aver 18,500)	0 .	0	1
deionized water (q.s, to)	100	100	100
Symptom	N	N	N .
Staining	N	N .	N

PCT/US94/06802

-27-

TABLE 3C

Component	Comp-8	Comp-9	Ex-11	Ex-12
silicone glycol copolymer (193, Dow Corning)	0.05	0.05	0.05	0.05
sodium phosphate	0.28	0.28	0.28	0.28
potassium phosphate	0.055	0.055	0.055	0.055
sodium chloride	0.78	0.78	0.78	0.78
potassium chloride	0.17	0.17	0.17	0.17
disodium edetate	0.05	0.05	0.05	0.05
polyhexamethylene biguanide (ppm)	10	10	10	10
Sipex EST-30	0.2	0.2	0.2	0.2
Tween 20	0	1	0	0
Pluronic F127	0	0	1	0
Pluronic F108	0	0	0	1
deionized water (q.s. to)	100	100	100	100
Symptom	P .	P	N	N
Staining	P	P "	N	N

PCT/US94/06802

-28-

TABLE 3D

Component	Comp-10	Ex-13	Ex-14
silicone glycol copolymer (193, Dow Corning)	0.05	0.05	0.05
sodium phosphate	0.28	0.28	0.28
potassium phosphate	0.055	0.055	0.055
sodium chloride	0.78	0.78	0.78
potassium chloride	0.17	0.17	0.17
disodium edetate	0.05	0.05	0.05
polyhexamethylene biguanide (ppm)	10	10	. 10
Sipex EST-30	0.2	0.2	0.2
Pluronic P104	1	o .	0
Ethosperse G-26	0	1	0
PEG (MW aver 18,500)	0	0	1 .
deionized water (g.s. to)	100	100	100
symptom	P	N	N
Staining	P .	N	N

WO 95/00620 PCT/US94/06802

-29-

EXAMPLES 15 TO 41

A series of solutions of the present invention, represented in Tables 4 to 9, was prepared. The irritation potential of the compositions was evaluated as in the preceding examples.

Additionally, the cleaning efficacy of the compositions was tested. For the cleaning model, lenses were soaked overnight in a 0.01 % solution of lanolin in hexane, the solvent was evaporated, and a greasy film of lipids (present in lanolin) remained on the lenses. The lenses were then cleaned as follows: the lenses were soaked in the subject composition for 2 hours, 2 or 3 drops of the subject composition was finger rubbed on the lens for about 20 seconds, followed by rinsing with tap water for about 20 The lens was then air dried and examined under the microscope. Cleaning efficacy ratings are listed in the tables, wherein the relative ratings are based on a scale of 0 to 3: "0" designates no deposits, "1" designates trace deposits, "2" designates slight contamination and "3" designates obvious contamination.

PCT/US94/06802

-30-

TABLE 4

Component	EX-15	EX-16	EX-17	EX-18	EX-19
silicone glycol copolymer (193, Dow Corning)	0.05	0.05	0.05	0.05	0.05
sodium phosphate	0.28	0.28	0.28	0.28	0.28
potassium phosphate	0.055	0.055	0.055	0.055	0.055
sodium chloride	0.78	0.78	0.78	0.78	0.78
potassium chloride	0.17	0.17	0.17	0.17	0.17
disodium edetate	0.05	0.05	0.05	0.05	0.05
polyhexamethylene biguanide (ppm)	10	10	10	10	10
Sipex EST-30	0.1	0	0	0	o
sodium lauroyl sarcosinate (Hampos	0 yl L-30	0.1 , W.R.	0 Grace)	0	0
Standapol 124-3	0	0	0.1	0	0
Sodium lauramino- propionic acid (Mir	0 atain H	0 2 C-HA , 1	0 Rhone-Po	0.1 oulenc)	0
cocoamphopropionate (Miranol C2M-LV, Rh	0 one-Pou	0 lenc)	0	0	0.1
Pluronic F108	1.0	1.0	1.0	1.0	1.0
deionized water (q.s. to)	100	100	100	100	100
Symptom	N	N	N	N	N
Staining	N	N	N	N	N
Cleaning Rating	0	0	1	0	1

PCT/US94/06802

-31-

TABLE 5

EX-20	EX-21	EX-22	EX-23
0.05	0.05	0.05	0.05
0.28	0.28	0.28	0.28
0.055	0.055	0.055	0.055
0.78	0.78	0.78	0.78
0.17	0.17	0.17	0.17
0.05	0.05	0.05	0.05
10	10	10	10
0.1	0	0	0
0	0.1	0	0
0 nkel)	o .	0.1	0
O	0	0	0.1
1.0	1.0	1.0	1.0
100	100	100	100
N	N	N	N
N	N	N	N
1	1	0	1
	0.05 0.28 0.055 0.78 0.17 0.05 10 0.1 0 1.0 1.0 100	0.05 0.05 0.28 0.28 0.055 0.055 0.78 0.78 0.17 0.17 0.05 0.05 10 10 0.1 0 0.1 0 0.1 0 0.1 0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 N N	0.05

PCT/US94/06802

-32-

TABLE 6

Component	EX-24	EX-25	EX-26	EX-27	EX-28
silicone glycol copolymer (193, Dow Corning)	0.05	0.05	0.05	0.05	0.05
sodium phosphate	0.28	0.28	0.28	0.28	0.28
potassium phosphate	0.055	0.055	0.055	0.055	0.055
sodium chloride	0.78	0.78	0.78	0.78	0.78
potassium chloride	0.17	0.17	0.17	0.17	0.17
disodium edetate	0,05	0.05	0.05	0.05	0.05
polyhexamethylene biguanide (ppm)	10	10	10	10	10
Sipex EST-30	0.1	0	o .	0	o .
Hamposyl L-30	0	0.1	0	0	0
Standapol 124-3	0	O .	0.1	0	0
Miratain H2C-HA	0	0	O ·	0.1	O ;
Miranol C2M-LV	Ö	0	0	0	0.1
Glucam E-20	i.o	1.0	1.0	1.0	1.0
deionized water (q.s. to)	100	100	100	100	100
Symptom	P	N	N	P	N
Staining	N	N	N	N	N
Cleaning Rating	1	2	1	1	0

PCT/US94/06802

-33-

TABLE 7

Component	EX-29	EX-30	EX-31	EX-32
silicone glycol copolymer (193, Dow Corning)	0.05	0.05	0.05	0.05
sodium phosphate	0.28	0.28	0.28	0.28
potassium phosphate	0.055	0.055	0.055	0.055
sodium chloride	0.78	0.78	0.78	0.78
potassium chloride	0.17	0.17	0.17	0.17
disodium edetate	0.05	0.05	0.05	0.05
polyhexamethylene biguanide (ppm)	10	10	10	10
Monaquat PTC	0.1	0	0	0
Pluronic L 64	0	0.1	0	0
Plantaren 2000	0	, o	0.1	0
Tween 80	0	0	0	0.1
Glucam E-20	1.0	1.0	1.0	1.0
deionized water (q.s. to)	100	100	100	100
Symptom	N	N	N	N
Staining	N	N	N	N
Cleaning Rating	1	i	1 .	2

PCT/US94/06802

-34-

TABLE 8

Component	EX-33	EX-34	EX-35	EX-36	EX-37
cationic cellulosic polymer (Polymer JR 30M)	0.05	0.05	0.05	0.05	0.05
sodium phosphate	0.28	0.28	0.28	0.28	0.28
potassium phosphate	0.055	0.055	0.055	0.055	0.055
sodium chloride	0.78	0.78	0.78	0.78	0.78
potassium chloride	0.17	0.17	0.17	0.17	0.17
disodium edetate	0.05	0.05	0.05	0.05	0.05
polyhexamethylene biguanide (ppm)	10	10	10	10	10
Sipex EST-30	0.1	0	0	Ο.	0
Hamposyl L-30	0	0.1	0	0	0
Standapol 124-3	0	o .	0.1	0	0
Miratain H2C-HA	0	0	0	0.1	0
Miranol C2M-LV	0	0	0	0	0.1
PEG (MW aver. 18,500)	1.0	1.0	1.0	1.0	1.0
deionized water (q.s. to)	100	100	100	100	100
Symptom	N	P _.	N	N	N
Staining	N	P	N	N	N
Cleaning Rating	0 .	0	1	0	1

PCT/US94/06802

-35-

TABLE 9

Component	EX-38	EX-39	EX-40	EX-41
cationic cellulosic polymer (Polymer JR 30M)	0.05	0.05	0.05	0.05
sodium phosphate	0.28	0.28	0.28	0.28
potassium phosphate	0.055	0.055	0.055	0.055
sodium chloride	0.78	0.78	0.78	0.78
potassium chloride	0.17	0.17	0.17	0.17
disodium edetate	0.05	0.05	0.05	0.05
polyhexamethylene biguanide (ppm)	10	10	10	10
Monaquat PTC	0.1	0	0	0
Pluronic L 64	0	0.1	0	o .
Plantaren 2000	0	o .	0.1	0
Tween 80	0	0	· O	0.1
polyethylene glycol (average MW about 18,500)	1.0	1.0	1.0	1.0.
deionized water (g.s. to)	100	100	100	100
Symptom	N	N .	N	N
Staining	N	ù	N	N .
Cleaning Rating	1 .	1	1	0

PCT/US94/06802

-36-

EXAMPLES 42 TO 71

A series of solutions of the present invention, represented in Tables 10 to 15, was prepared, and the irritation potential of the compositions was evaluated as in the preceding examples.

Additionally, the cleaning efficacy of the compositions was tested on worn lenses. Rigid gas permeable (RGP) lenses were worn for 15 to 18 hours, left dry overnight, and cleaned the next day by finger rubbing 2 or 3 drops of the subject composition for about 20 seconds, rinsing under tap water for about 20 seconds, and air drying the rinsed lens. Subsequently, the cleaned lens was examined under microscope. The cleaning efficacy scale corresponds to that in the preceding examples.

PCT/US94/06802

-37-

TABLE 10

				•	
Component	EX-42	EX-43	EX-44	EX-45	EX-46
hydroxypropyl methylcellulose	0.5	0.5	0.5	0.5	0.5
PVA (Airvol 107)	0.3	0.3	0.3	0.3	0.3
silicone glycol copolymer (193, Dow Corning)	0.05	0.05	0.05	0.05	0.05
sodium phosphate	0.28	0.28	0.28	0.28	0.28
potassium phosphate	0.055	0.055	0.055	0.055	0.055
sodium chloride	0.78	0.78	0.78	0.78	0.78
potassium chloride	0.17	0.17	0.17	0.17	0.17
disodium edetate	0.05	0.05	0.05	0.05	0.05
polyhexamethylene biguanide (ppm)	10	10	10	10	10
Sipex EST-30	0.1	0	0	0	Ο .
Hamposyl L-30	0	0.1	0	0	0
Standapol 124-3	0	0	0.1	0	0
cocamidopropyl betaine (Tego-Betai	0 ne L7,	0 Goldsch	O midt)	0.1	0
Miranol C2M-LV	0	0	0	0	0.1
Pluronic F108 (MW aver. 18,500)	1.0	1.0	1.0	1.0	1.0
deionized water (q.s. to)	100	100	100	100	100
Symptom	N	N	N	N .	N
Staining	N	N	N	N	N .
Cleaning Rating	0	0	0	0	.0

PCT/US94/06802

-38-

TABLE 11

Component	EX-47	EX-48	EX-49	EX-50	EX-51
hydroxypropyl methylcellulose	0.5	0.5	0.5	0.5	0.5
PVA (Airvol 107)	0.3	0.3	0.3	0.3	0.3
silicone glycol copolymer (193, Dow Corning)	0.05	0.05	0.05	0.05	0.05
sodium phosphate	0.28	0.28	0.28	0.28	0.28
potassium phosphate	0.055	0.055	0.055	0.055	0.055
sodium chloride	0.78	0.78	0.78	0.78	0.78
potassium chloride	0.17	0.17	0.17	0.17	0.17
disodium edetate	0.05	0.05	0.05	0.05	0.05
polyhexamethylene biguanide (ppm)	10	10	10	10	10
Monaquat PTC	0.1	0	0	0	0
amphoteric polysiloxane (Silic	one Amp		o , Silte	o sch)	0
Pluronic L 64	0	0	0.1	0	0
Plantaren 2000	0	0	0	0.1	0 .
Tween 80	0	0	0	0	0.1
Pluronic F108 (MW aver. 18,500)	1.0	1.0	1.0	1.0	1.0
deionized water (g.s. to)	100	100	100	100	100
Symptom	N	N	N	N	N
Staining	. N	N	N	N	N
Cleaning Rating	0	0	0	0	0

PCT/US94/06802

-39-

TABLE 12

Component	EX-52	EX-53	EX-54	EX-55	EX-56
hydroxypropyl methylcellulose	0.5	0.5	0.5	0.5	0.5
PVA (Airvol 107)	0.3	0.3	0.3	0.3	0.3
silicone glycol copolymer (193, Dow Corning)	0.05	0.05	0.05	0.05	0.05
sodium phosphate	0.28	0.28	0.28	0.28	0.28
potassium phosphate	0.055	0.055	0.055	0.055	0.055
sodium chloride	0.78	0.78	0.78	0.78	0.78
potassium chloride	0.17	0.17	0.17	0.17	0.17
disodium edetate	0.05	0.05	0.05	0.05	0.05
polyhexamethylene biguanide (ppm)	10	10	10	10	10
Sipex EST-30	0.1	0	0	0	0
Hamposyl L-30	0	0.1	.0	0	0
Standapol 124-3	0	0	0.1	0	0
Tego-Betaine L7	o .	0	0	0.1	0
Miranol C2M-LV	0	0	0	0	0.1
Glucam E-20	1.0	1.0	1.0	1.0	1.0
deionized water (q.s. to)	100	100	100	100	100
symptom	N .	N	N	N	N
Staining	N	N	N	N	N
Cleaning Rating	0	Ó	0	0	0

WO 95/00620 PCT/US94/06802

-40-

TABLE 13

Component	EX-57	EX-58	EX-59	EX-60	EX-61
hydroxypropyl methylcellulose	0.5	0.5	0.5	0.5	0.5
PVA (Airvol 107)	0.3	0.3	0.3	0.3	0.3
silicone glycol copolymer (193, Dow Corning)	0.05	0.05	0.05	0.05	0.05
sodium phosphate	0.28	0.28	0.28	0.28	0.28
potassium phosphate	0.055	0.055	0.055	0.055	0.055
sodium chloride	0.78	0.78	0.78	0.78	0.78
potassium chloride	0.17	0.17	0.17	0.17	0.17
disodium edetate	0.05	0.05	0.05	0.05	0.05
polyhexamethylene biguanide (ppm)	10	10	10	10	10
Monaquat PTC	0.1	0	0	0	0
Silicone Amphoteric	0	0.1	0	o .	0
Pluronic L 64	0	0	0.1	0	0
Plantaren 2000	0	0	0	0.1	0
Tween 80	0 .	0	0	0	0.1
Glucam E-20	1.0	1.0	1.0	1.0	1.0
deionized water (q.s. to)	100	100	100	100	100
symptom	N .	N .	N	N	N
Staining	N	N.	N	N	N
Cleaning Rating	1	0	0	0	0

PCT/US94/06802

-41-

TABLE 14

					•
Component	EX-62	EX-63	EX-64	EX-65	EX-66
hydroxypropyl methylcellulose	0.5	0.5	0.5	0.5	0.5
PVA (Airvol 107)	0.3	0.3	0.3	0.3	0.3
silicone glycol copolymer (193, Dow Corning)	0.05	0.05	0.05	0.05	0.05
sodium phosphate	0.28	0.28	0.28	0.28	0.28
potassium phosphate	0.055	0.055	0.055	0.055	0.055
sodium chloride	0.78	0.78	0.78	0.78	0.78
potassium chloride	0.17	0.17	0.17	0.17	0.17
disodium edetate	0.05	0.05	0.05	0.05	0.05
polyhexamethylene biguanide (ppm)	10	10	10	10	10
Sipex EST-30	0.1	0	0	0	0
Hamposyl L-30	0	0.1	0	0 . ,	0
Standapol 124-3	0	0	0.1	ο .	0
Tego-Betaine L7	0 .	0	0	0.1	0
Miranol C2M-LV	0	0	0	0	0.1
Glucam E-20	1.0	1.0	1.0	1.0	1.0
deionized water (q.s. to)	100	100	100	100	100
Symptom	N	N	N .	N	N
Staining	N .	N	N	N ·	N
Cleaning Rating	0 .	0	0	0	0

PCT/US94/06802

-42-

TABLE 15

Component	EX-67	EX-68	EX-69	EX-70	EX-71
hydroxypropyl methylcellulose	0.5	0.5	0.5	0.5	0.5
PVA (Airvol 107)	0.3	0.3	0.3	0.3	0.3
silicone glycol copolymer (193, Dow Corning)	0.05	0.05	0.05	0.05	0.05
sodium phosphate	0.28	0,28	0.28	0.28	0.28
potassium phosphate	0.055	0.055	0.055	0.055	0.055
sodium chloride	0.78	0.78	0.78	0.78	0.78
potassium chloride	0.17	0.17	0.17	0.17	0.17
disodium edetate	0.05	0.05	0.05	0.05	0.05
polyhexamethylene biguanide (ppm)	10	10	10	10	10
Monaquat PTC	0.1	0	0	0	0
Silicone Amphoteric	0	0.1	0	0	0
Pluronic L 64	0	0	0.1	0	0
Plantaren 2000	0	0	0	0.1	0
Tween 80	0	0	0	0	0.1
PEG (MW aver. 18,500)	1.0	1.0	1.0	1.0	1.0
deionized water (q.s. to)	100	100	100	100	100
Symptom .	N	N	N	N	N
Staining	N	N	N	N	N
Cleaning Rating	0	0	0	o .	0

PCT/US94/06802

-43-

Additional examples of preferred multipurpose compositions suitable for cleaning and wetting contact lenses are given in Table 16.

TABLE 16

Component	EX 72	EX 73	EX 74
sodium chloride	0.70	0.78	0.7.0
potassium chloride	0.040	0.17	0.040
disodium edetate	0.050	0.050	0.050
hydroxypropyl methylcellulose	0.55	0.60	0.60
sodium phosphate	0.55	0.28	0.55
potassium phosphate	0.11	0.55	0.11
Glucam E-20	0.10	0.10	0.10
alkoxylated silicone polymer (193		0.015 rning)	0.015
Tween-20	0.025	0.020	0.020
Tego-Betaine L7 (30%)	0.010	0.010	0.010
polyhexamethylene biguanide	0.0005	0.0005	0.0005
chlorhexidine gluconate	0.0033	0.0033	0.0033
Deionized Water (q.s. to)	100	100	100
рн	7.4	7.3	7.3
Viscosity (cp at 25°C)	30.6	34.6	33.4
Osmolality (mOsm/kg water)	363	351	341

PCT/US94/06802

-44-

Although certain preferred embodiments have been described, it is understood that the invention is not limited thereto and modifications and variations would be evident to a person of ordinary skill in the art.

We claim:

- An aqueous composition for cleaning and wetting a contact lens comprising:
- (a) a non-amine polyethyleneoxy-containing material having an HLB value of at least about 18;
- (b) a surface active agent having cleaning activity for contact lens deposits; and
 - (c) a wetting agent.
- 2. The composition of claim 1, wherein the polyethyleneoxy-containing material is a polyethyleneoxy-polypropyleneoxy block copolymer having an HLB value of at least about 18.
- 3. The composition of claim 1, wherein the polyethyleneoxy-containing material is an ethoxylated glucose derivative having an HLB value of at least about 18.
- 4. The composition of claim 1, wherein the polyethyleneoxy-containing material is an ethoxylated ethers of sorbitol.
- 5. The composition of claim 1, wherein the polyethyleneoxy-containing material is polyethylene glycol having an HLB value of at least about 18.
- 6. The composition of claim 1, comprising a nonionic surface active agent having cleaning activity for contact lens deposits.
- 7. The composition of claim 1, comprising an amphoteric surface active agent having cleaning activity for contact lens deposits.

PCT/US94/06802

-46-

- 8. The composition of claim 1, further comprising a preservative agent.
- 9. The composition of claim 1, wherein the wetting agent is selected from the group consisting of polyvinyl alcohol and polyvinyl pyrrolidone.
- 10. The composition of claim 1, wherein the wetting agent is a cellulosic material.
- 11. The composition of claim 1, wherein the wetting agent is a silicone polymer containing an alkyleneoxide side chain.
- 12. The composition of claim 1, further comprising a buffering agent or tonicity adjusting agent.
- 13. A method of cleaning and wetting a contact lens comprising exposing said contact lens to an aqueous composition comprising (i) a non-amine polyethyleneoxy-containing material having an HLB value of at least about 18, (ii) a surface active agent having cleaning activity for contact lens deposits, and (iii) a wetting agent.
- 14. The method of claim 13, wherein the polyethyleneoxy-containing material is a polyethyleneoxy-polypropyleneoxy block copolymer having an HLB value of at least about 18.
- 15. The method of claim 13, wherein the polyethyleneoxy-containing material is an ethoxylated

glucose derivative having an HLB value of at least about 18.

- 16. The method of claim 13, wherein the polyethyleneoxy-containing material is an ethoxylated ether of sorbitol having an HLB value of at least about 18.
- 17. The method of claim 13, wherein the polyethyleneoxy-containing material is polyethylene glycol having an HLB value of at least about 18.
- 18. A method of cleaning and wetting a contact
 lens comprising:
- (a) exposing said contact lens to an aqueous composition comprising (i) a non-amine polyethyleneoxy-containing material having an HLB value of at least about 18, and (ii) a surface active agent having cleaning activity for contact lens deposits, to remove contaminants thereon; and subsequently,
- (b) treating the contact lens with said composition to wet the surface of the contact lens for insertion in the eye.
- 19. The method of claim 18, further comprising inserting the treated contact lens directly in the eye.
- 20. A method of cleaning, disinfecting and wetting a contact lens comprising:
- (a) exposing said contact lens to an aqueous composition comprising (i) a non-amine polyethyleneoxy-containing material having an HLB value of at least

PCT/US94/06802

-48-

- about 18, (ii) a surface active agent having cleaning activity for contact lens deposits, and (iii) an antimicrobially effective amount of an antimicrobial agent, and rinsing said contact lens, to remove contaminants thereon; and subsequently,
- (b) treating the contact lens with said composition for sufficient time to disinfect the contact lens and to wet the surface thereof for insertion in the eye.

INTERNATIONAL SEARCH REPORT

Intr Honal Application No PC I'/US 94/06802

		PCT/US	94/06802
A. CLASS IPC 5	SIFICATION OF SUBJECT MATTER C11D3/00 C11D1/825 C11D1/	94	
	to International Patent Classification (IPC) or to both national class SEARCHED	estification and IPC	
	documentation searched (classification system followed by classifi	cetion symbols)	
IPC 5	C11D	*	
Documenta	tion searched other than minimum documentation to the extent th	at such documents are included in the field	s searched
Electronic o	data base consulted during the international search (name of data	base and, where practical, search terms use	1)
C. DOCUM	ENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the	relevant passages	Relevant to claim No.
Y	US,A,3 882 036 (KREZANOSKI JOSEI 6 May 1975	PH Z ET AL)	1-18
	cited in the application see column 7, line 64 - column 9 see column 10, line 26 - line 30	9, line 51)	
Y	EP,A,O 358 447 (SHERMAN LAB INC 1990) 14 March	1-18
	see page 4, line 27 - line 29 & US,A,5 141 665 cited in the application		
Y	US,A,4 046 706 (KREZANOSKI) 6 Se 1977	eptember	1,7
	see the whole document		·
		•	
1			
Furth	er documents are listed in the continuation of box C.	Patent family members are listed	in annex.
* Special cate	gories of cited documents :	"I" later document published after the in	ternational filing date
comsider	nt defining the general state of the art which is not red to be of particular relevance ocument but published on or after the international	or priority date and not in conflict we cited to understand the principle or invention	ith the application but
filing de	ite	"X" document of particular relevance; the cannot be considered novel or cannot	t be considered to
which is	nt which may throw doubts on priority claim(s) or i cited to establish the publication dair of another or other special reason (as specified)	"Y" document of particular relevance; the	claimed invention
	nt referring to an oral disclosure, use, exhibition or	cannot be considered to involve an i document is combined with one or a ments, such combination being obvious	nore other such docu-
"P" documen later tha	t published prior to the international filing date but in the priority date claimed	in the art. "&" document member of the same paten	
Date of the au	ctual completion of the international search	Date of mailing of the international s	
. 3	November 1994	1 1. 11. 94	
Name and ma	illing address of the ISA Buropean Patent Office, P.B. 5818 Patentiagn 2	Authorized officer	
	NL - 2230 HV Ripwijk Tel. (+31-70) 340-2040, Tz. 31 651 epo ni, Fac: (+31-70) 340-3016	Delzant, J-F	1

INTERNATIONAL SEARCH REPORT

information on patent family members

Intr ional Application No PCT/US 94/06802

Patent document cited in search report	Publication date		Publication date	
US-A-3882036	06-05-75	.	3954644 474344 5888073 1013668 2339867 1921358 2195802 1435114 1231541 49087346	04-05-76 22-07-76 06-02-75 12-07-77 28-02-74 06-11-69 08-03-74 12-05-76 12-05-71 21-08-74
EP-A-0358447	14-03-90	US-I- CA-A- US-A- US-A-	8724600 1330923 5141665 5322667	26-07-94 25-08-92 21-06-94
US-A-4046706	06-09-77	NONE		

Form PCT/ISA/210 (petent family annex) (July 1992)